

# Ditron// group

www.ditron.eu



integrated webserver allows the device management also from other media (e.g. tablet), RESTful Web Services facilitate the integration of management softwares **to Smart, Pro, Advance and Extreme models.** 



# EXTREME



## L 56cm x D 46.8cm x H 59.5cm

Measurements are in cm + 1mm

The measurements refer only to the metal case, useful for installation operations. For a correct installation of the product it is appropriate to follow the "Installation guide".



SafeMoney Extreme has been designed to provide all the cash management capabilities. It's ideal for high affluence points of saletraffic points, to facilitate faster and safer sales transactions.

SafeMoney Extreme is available both standalone and embedded.

### **CONNESSIONS:**

ETHERNET

#### **AFFLUENCE:**

HIGH

|         | Compact design                                               |  |  |  |  |
|---------|--------------------------------------------------------------|--|--|--|--|
|         | Front door for maintenance with security lock                |  |  |  |  |
| 1       | Design "easy clean"                                          |  |  |  |  |
|         | Increase the hygiene of the point of sale                    |  |  |  |  |
|         | Light feedback                                               |  |  |  |  |
|         | Customizable front panel                                     |  |  |  |  |
|         | Partially and totally integrable                             |  |  |  |  |
|         | Mast plate predisposition                                    |  |  |  |  |
|         | Integrated UPS to guarantee completion of ongoing operations |  |  |  |  |
|         | Integrated Web service                                       |  |  |  |  |
| <b></b> | Banknotes dispensing<br>(in bunch up to 15 pcs)              |  |  |  |  |







|                   | TECHNICAL<br>FEATURES                                           | EASY                                                                   | SMART                                 | PRO                                  | ADVANCE                                                        | EXTREME                                 |
|-------------------|-----------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------|--------------------------------------|----------------------------------------------------------------|-----------------------------------------|
| ECYCLE            | MAXIMUM INSERTION<br>SPEED                                      |                                                                        | "smart coin system"up to 3 coins/sec. |                                      |                                                                | "smart coin system" up to 10 coins/sec. |
|                   | ACCEPTED COINS                                                  | from € 0,01 to € 2,00                                                  |                                       |                                      |                                                                |                                         |
|                   | MAXIMUM DELIVERY<br>SPEED                                       | up to 12 coins /sec.                                                   |                                       |                                      |                                                                |                                         |
|                   | CAPACITY IN RECYCLE                                             |                                                                        | 15                                    | 500 coins                            |                                                                | 3600 coins                              |
| ö                 | CASHBOX FOR COIN<br>STORAGE                                     |                                                                        |                                       | 1.9L                                 |                                                                | X                                       |
| BANKNOTES RECYCLE | INSERTION                                                       | one by one                                                             |                                       |                                      |                                                                |                                         |
|                   | ACCEPTED BANKNOTES                                              | from € 5.00 to € 500.00                                                |                                       |                                      |                                                                |                                         |
|                   | MAXIMUM DELIVERY<br>SPEED                                       | 1 banknotes/ 3 sec.                                                    |                                       | 1 banknotes/ 2 sec.                  | up to 15 banknotes simultaneously (bulknote) 1 banknote / sec. |                                         |
|                   | CAPACITY IN RECYCLE                                             | up to 70 banknotes                                                     |                                       | up to<br>120 banknotes               | up to 180 banknotes                                            |                                         |
| BAN               | CASHBOX                                                         | up to 500 banknotes                                                    |                                       | up to 600 banknotes                  |                                                                |                                         |
| GENERAL FEATURES  | OPERATOR DISPLAY                                                | Χ                                                                      |                                       | 10" graphic touchscreen rotation 30° |                                                                |                                         |
|                   | CONNECTIONS                                                     | USB                                                                    |                                       | ethernet                             |                                                                |                                         |
|                   | POWER SUPPLY                                                    | 500W/100-240 VAC 50/60Hz, backup power supply per chiusura transizione |                                       |                                      |                                                                |                                         |
|                   | CASE                                                            | color: black                                                           |                                       | color: white                         |                                                                |                                         |
|                   | DIMENSIONS (CM)                                                 | L36.5xD38xH55.8                                                        |                                       | L37xD33.7xH63.8                      | L41.6xD37.3xH68.5                                              | (L56xD46.8xH59.5)                       |
|                   | WEIGHT (KG) EMPTY                                               | 35                                                                     | 37                                    | 40                                   | 70                                                             | 80                                      |
| FUNCTIONS         | TOUCHSCREEN                                                     | X                                                                      | <b>✓</b>                              | <b>✓</b>                             | <b>✓</b>                                                       | <b>✓</b>                                |
|                   | MULTIPLE INSTALLATION MANAGEMENT                                | X                                                                      | <b>✓</b>                              | <b>✓</b>                             | <b>✓</b>                                                       | <b>✓</b>                                |
|                   | DIRECT INTEGRATION<br>WITH RT DITRON                            | X                                                                      | <b>✓</b>                              | <b>✓</b>                             | <b>✓</b>                                                       | <b>✓</b>                                |
| COMMUNICATION     | REMOTE<br>DIAGNOSTICS                                           | X                                                                      | <b>✓</b>                              | <b>✓</b>                             | <b>✓</b>                                                       | <b>✓</b>                                |
|                   | REMOTE SOFTWARE UPDATE                                          | X                                                                      | <b>✓</b>                              | <b>✓</b>                             | <b>✓</b>                                                       | ✓                                       |
|                   | UNIVERSAL COMMUNICA-<br>TION DRIVERS ON<br>BOARD (WEB SERVICES) | X                                                                      | <b>✓</b>                              | <b>✓</b>                             | <b>✓</b>                                                       | <b>✓</b>                                |
|                   | UNIVERSAL COMMUNICA-<br>TION DRIVER FOR PC                      | <b>✓</b>                                                               | <b>✓</b>                              | <b>✓</b>                             | <b>✓</b>                                                       | ✓                                       |
|                   | ACCESS VIA TABLET OR PC                                         | X                                                                      | <b>✓</b>                              | <b>✓</b>                             | <b>✓</b>                                                       | ✓                                       |
| OPTIONALS         | INTEGRATED FISCAL<br>PRINTER                                    | <b>✓</b>                                                               | <b>✓</b>                              |                                      | X                                                              |                                         |
|                   | INSTALLATION PLATE                                              | predisposition                                                         |                                       |                                      |                                                                |                                         |
| OPT               | CUSTOMIZABLE FRONT<br>PANEL                                     | √ (min. 4 Pz.)                                                         |                                       |                                      |                                                                |                                         |

<sup>\*</sup>Technical specifications are subject to change without notice \*\* The images of the products are purely indicative

Always at the point of sale with high-tech solutions, **Ditron is the answer that helps you to enhance your business.** Your store can be supported by cutting-edge technology and your work is simplified by solutions that **speed up the cash point procedures.** 













